

関連図書

- [1] <http://kaon2.semanticweb.org/>.
- [2] <http://lat.inf.tu-dresden.de/systems/cel/>.
- [3] <http://owl.man.ac.uk/factplusplus/>.
- [4] <http://owl.man.ac.uk/hoolet/>.
- [5] <http://pellet.owldl.com/>.
- [6] <http://www2005.org/>.
- [7] <http://www.cs.man.ac.uk/~schmidt/mspass/>.
- [8] <http://www.racer-systems.com/>.
- [9] <http://www.ruleml.org/>.
- [10] S. Agarwal and P. Hitzler. Modeling fuzzy rules with description logics. In *Proceedings of Workshop on OWL Experiences and Directions*, 2005.
- [11] AIDOS. オントロジ技術入門 ウェブオントロジとOWL(セマンティック技術シリーズ). 東京電機大学出版局, 2005.
- [12] C. Areces. *Logic Engineering: The Case of Description and Hybrid Logics*. PhD thesis, University of Amsterdam, 2000.
- [13] A. Artale, R. Kontchakov, C. Lutz, F. Wolter, and M. Zakharyashev. Temporalising tractable description logics. In *14th International Symposium on Temporal Representation and Reasoning (TIME 2007)*, pp. 11–22, 2007.

- [14] A. Artale, R. Kontchakov, C. Lutz, F. Wolter, and M. Zakharyashev. Temporalising tractable description logics. In *Proceedings of the Fourteenth International Symposium on Temporal Representation and Reasoning*. IEEE Computer Society Press, 2007.
- [15] F. Baader. A formal definition for the expressive power of terminological knowledge representation languages. *J. of Logic and Computation*, Vol. 6, No. 1, pp. 33–54, 1996.
- [16] F. Baader, H.-J. Bürckert, J. Heinsohn, J. Müller, B. Hollunder, B. Nebel, W. Nutt, and H.-J. Profitlich. Terminological knowledge representation: A proposal for a terminological logic. DFKI Technical Memo TM-90-04, Deutsches Forschungszentrum für Künstliche Intelligenz, Kaiserslautern, 1990.
- [17] F. Baader and R. Küsters. Matching in description logics with existential restrictions. In A.G. Cohn, F. Giunchiglia, and B. Selman, editors, *Proceedings of the Seventh International Conference on Knowledge Representation and Reasoning (KR2000)*, pp. 261–272, San Francisco, CA, 2000. Morgan Kaufmann Publishers.
- [18] F. Baader and U. Sattler. Number restrictions on complex roles in description logics. In *Proceedings of the Fifth International Conference on the Principles of Knowledge Representation and Reasoning (KR-96)*, 1996.
- [19] F. Baader and U. Sattler. An overview of tableau algorithms for description logics. *Studia Logica*, Vol. 69, pp. 5–40, 2001.
- [20] P. A. Bonatti and A. Tettamanzi. Some complexity results on fuzzy description logics. In *Fuzzy Logic and Applications, 5th International Workshop (WILF 2003)*, pp. 19–24, 2003.

- [21] A. Borgida. On the relative expressive completeness of description logics and predicate logics. *Artificial Intelligence*, Vol. 82, No. 1–2, pp. 353–367, 96.
- [22] A. Borgida, R. J. Brachman, D. L. McGuinness, and Lori A. Resnick. CLASSIC: A structural data model for objects. In *Proceedings of the 1989 ACM SIGMOD International Conference on Management of Data*, pp. 58–67, 1989.
- [23] R. J. Brachman and H. J. Levesque. The tractability of subsumption in frame-based description languages. In Ronald J. Brachman, editor, *Proceedings of the National Conference on Artificial Intelligence*, pp. 34–37, Austin, TX, August 1984. William Kaufmann.
- [24] R. J. Brachman and J. G. Schmolze. An overview of the KL-ONE knowledge representation system. *Cognitive Science*, Vol. 9, No. 2, pp. 171–216, 1985.
- [25] E. Dantsin, T. Eiter, G. Gottlob, and A. Voronkov. Complexity and expressive power of logic programming. In *IEEE Conference on Computational Complexity*, pp. 82–101, 1997.
- [26] M. Dean and G. Schreiber. OWL Web Ontology Language Reference, W3C Recommendation, <http://www.w3.org/tr/2004/rec-owl-ref-20040210/>.
- [27] M. Denecker. A terminological interpretation of (abductive) logic programming. In *Logic Programming and Nonmonotonic Reasoning, Proceedings LPNMR'95*, Vol. 928 of *Lecture notes in Artificial Intelligence*, pp. 15–29. Springer, 1995.
- [28] F. D. Donini, M. Lenzerini, D. Nardi, and A. Schaerf. Reasoning in description logic. In G. Brewka, editor, *Principles of Knowledge Representation*. CSLI Publications, FoLLI, 1996.

- [29] F. M. Donini, M. Lenzerini, D. Nardi, and W. Nutt. The complexity of concept languages. *Information and Computation*, Vol. 134, No. 1, pp. 1–58, 10 April 1997.
- [30] F. M. Donini, M. Lenzerini, D. Nardi, and A. Schaerf. AL-LOG: Integrating datalog and description logic. *Journal of Intelligent Information Systems*, Vol. 10, No. 3, pp. 227–252, 1998.
- [31] T. Eiter, W. Faber, M. Fink, G. Pfeifer, and S. Woltran. Complexity of model checking and bounded predicate arities for non-ground answer set programming. In *KR*, pp. 377–387, 2004.
- [32] D. Fensel, J. A. Hendler, H. Lieberman, and W. Wahlster, editors. *Spinning the Semantic Web: Bringing the World Wide Web to Its Full Potential [outcome of a Dagstuhl seminar]*. MIT Press, 2003.
- [33] G. De Giacomo and M. Lenzerini. Description logics with inverse roles, functional restrictions, and n-ary relations. In *Logics in Artificial Intelligence*, pp. 332–346, 1994.
- [34] グリゴリスアントニウ, フランク・ファンハルメレン. C D - R O Mで始めるセマンティックW e b . ジャストシステム, 2005. ジャストシステム知識活用研究グループ 訳.
- [35] B. Grosof, I. Horrocks, R. Volz, and S. Decker. Description Logic Programs: Combining Logic Programs with Description Logics. In *Proc. of WWW-2003*, Budapest, Hungary, 05 2003.
- [36] V. Haarslev and R. Möller. An empirical evaluation of optimization strategies for abox reasoning in expressive description logics. In *Proceedings of the 1999 International Workshop on Description Logics (DL'99)*, 1999.
- [37] V. Haarslev and R. Möller. Consistency testing: The race experience. In *Proceedings of TABLEAUX 2000, International Conference, Automated*

- Reasoning with Analytic Tableaux and Related Methods*, Vol. 1847 of *Lecture Notes in Computer Science*, pp. 57–61. Springer, 2000.
- [38] V. Haarslev and R. Möller. High performance reasoning with very large knowledge bases: A practical case study. In *Proceedings of IJCAI*, pp. 161–168, 2001.
 - [39] V. Haarslev and R. Möller. Racer system description. In *Proceedings of IJCAR*, pp. 701–706, 2001.
 - [40] J. Y. Halpern and Y. Moses. A guide to completeness and complexity for model logics of knowledge and belief. *Artificial Intelligence*, Vol. 54, No. 3, pp. 319–379, April 1992.
 - [41] S. Heymans and D. Vermeir. Integrating ontology languages and answer set programming. In *Proceedings of the 14th International Workshop on Expert System Applications (DEXA2003)*, pp. 584–588. IEEE Computer Society, 2003.
 - [42] S. Heymans and D. Vermeir. Integrating semantic web reasoning and answer set programming. In *Answer Set Programming: Advances in Theory and Implementation (ASP03)*, pp. 194–208. CEUR Proceedings Vol. 78, 2003.
 - [43] S. Hölldobler, H.-P. Störr, and D. K. Tran. The fuzzy description logic alc_fh with hedge algebras as concept modifiers. *JACIII*, Vol. 7, No. 3, pp. 294–305, 2003.
 - [44] B. Hollunder and F. Baader. Qualifying number restrictions in concept languages. In *Proceedings of the Second International Conference on Principles of Knowledge Representation and Reasoning, KR-91*, pp. 335–346, 1991.
 - [45] B. Hollunder, W. Nutt, and M. Schmidt-Schauß. Subsumption algorithms for concept description languages. In *Proceedings of ECAI-90, 9th European Conference on Artificial Intelligence*, pp. 348–353, 1990.

- [46] I. Horrocks. Implementation and optimisation techniques. In F. Baader, D. Calvanese, D. McGuinness, D. Nardi, and P. F. Patel-Schneider, editors, *The Description Logic Handbook: Theory, Implementation, and Applications*, chapter 9, pp. 306–346. Cambridge University Press, 2003.
- [47] I. Horrocks and P. F. Patel-Schneider. A proposal for an owl rules language. In *Proc. of the Thirteenth International World Wide Web Conference (WWW 2004)*, pp. 723–731. ACM, 2004.
- [48] I. Horrocks and P. F. Patel-Schneider. Reducing OWL entailment to description logic satisfiability. *J. of Web Semantics*, Vol. 1, No. 4, pp. 345–357, 2004.
- [49] I. Horrocks, P. F. Patel-Schneider, H. Boley, S. Tabet, B. Grosof, and M. Dean. SWRL: A Semantic Web Rule Language Combining OWL and RuleML, W3C Recommendation, <http://www.w3.org/submission/swrl/>.
- [50] I. Horrocks, Peter F. Patel-Schneider, and Frank van Harmelen. From \mathcal{SHIQ} and RDF to OWL: The making of a web ontology language. *J. of Web Semantics*, Vol. 1, No. 1, pp. 7–26, 2003.
- [51] I. Horrocks and U. Sattler. Ontology reasoning in the SHOQ(D) description logic. In *Proceedings of the Seventeenth International Joint Conference on Artificial Intelligence*, 2001.
- [52] I. Horrocks and U. Sattler. Decidability of \mathcal{SHIQ} with complex role inclusion axioms. *Artificial Intelligence*, Vol. 160, No. 1–2, pp. 79–104, December 2004.
- [53] I. Horrocks, Ulrike Sattler, and Stephan Tobies. Practical reasoning for expressive description logics. In *Proceedings of the 6th International Conference on Logic for Programming and Automated Reasoning (LPAR-99)*, Vol. 1705 of *LNAI*, pp. 161–180. Springer, 1999.

- [54] U. Hustadt, B. Motik, and U. Sattler. Reasoning in Description Logics by a Reduction to Disjunctive Datalog. *Journal of Automated Reasoning*, Vol. 39, No. 3, pp. 351–384, 2007.
- [55] 伊藤健太郎, 濱崎俊, 佐藤勇紀. ためしてわかるセマンティック Web -次世代型データ活用術-. 技術評論社, 2007.
- [56] 兼岩憲. 小項目「記述論理」. 人工知能学会(編), 人工知能学事典, pp. 193–194. 共立出版, 2005.
- [57] 兼岩憲, 佐藤健. レクチャーシリーズ「哲学と AI における対象世界モデリング」[第 6 回] DL: Description Logics. 人工知能学会誌, Vol. 18, No. 1, pp. 73 – 82, 2003.
- [58] 神崎正英. セマンティック・ウェブのための RDF/OWL 入門. 森北出版, 2005.
- [59] M. Kifer, G. Lausen, and J. Wu. Logical foundations of object-oriented and frame-based languages. *J. ACM*, Vol. 42, No. 4, pp. 741–843, 1995.
- [60] 古崎晃司, 笹島宗彦, 來村徳信. オントロジー構築入門. オーム社, 2006.
- [61] N. Kurtonina and M. de Rijke. Expressiveness of concept expressions in first-order description logics. *Artificial Intelligence*, Vol. 107, No. 2, pp. 303–333, 1999.
- [62] R. Küsters. *Non-standard inferences in description logics*. LNCS 2100. Springer-Verlag, 2001.
- [63] R. Küsters and R. Molitor. Computing least common subsumers in ALEN. Technical report, 2001.
- [64] R. Küsters and R. Molitor. Approximating most specific concepts in description logics with existential restrictions. *AI Commun.*, Vol. 15, No. 1, pp. 47–59, 2002.

- [65] R. Küsters and R. Molitor. Structural subsumption and least common subsumers in a description logic with existential and number restrictions. *Studia Logica*, Vol. 81, No. 2, pp. 227–259, 2005.
- [66] R. C. T. Lee. Fuzzy logic and the resolution principle. In D. Dubois, H. Prade, and R. R. Yager, editors, *Readings in Fuzzy Sets for Intelligent Systems*, pp. 442–452. Kaufmann, San Mateo, CA, 1993.
- [67] H. J. Levesque and R. J. Brachman. Expressiveness and tractability in knowledge representation and reasoning. *Computational Intelligence*, Vol. 3, No. 2, pp. 78–93, May 1987.
- [68] A. A. Levy and M-C. Rousset. CARIN: A representation language combining Horn rules and description logics. *Artificial Intelligence*, Vol. 104, No. 1–2, pp. 165–209, 1998.
- [69] T. Liebig. Reasoning with OWL - system support and insights -. Technical Report 2006-04, Computer Science Faculty, Ulm University, 2006.
- [70] C. Lutz. Description logics with concrete domains—a survey. In *Advances in Modal Logics Volume 4*. King's College Publications, 2003.
- [71] C. Lutz. Nextime-complete description logics with concrete domains. *ACM Transactions on Computational Logic*, Vol. 5, No. 4, pp. 669–705, 2004.
- [72] M. Minsky. A framework for representing knowledge. Technical Report AIM-306, Massachusetts Institute of Technology, 1974.
- [73] 溝口理一郎. オントロジー研究の基礎と応用. 人工知能学会誌, Vol. 14, No. 6, pp. 45–56, 1999.
- [74] 溝口理一郎. オントロジー工学. オーム社, 2005.
- [75] B. Motik. *Reasoning in Description Logics using Resolution and Deductive Databases*. PhD thesis, Univesität Karlsruhe (TH), Karlsruhe, Germany, January 2006.

- [76] M. Mukaidono, Z. Shen, and L. Ding. Fundamentals of fuzzy prolog. In D. Dubois, H. Prade, and R. R. Yager, editors, *Readings in Fuzzy Sets for Intelligent Systems*, pp. 453–460. Kaufmann, San Mateo, CA, 1993.
- [77] 向殿政男. ファジィ論理. 日刊工業新聞社, 1993.
- [78] 石塚満. 知識の表現と高速推論. 丸善, 1996.
- [79] 西田豊明. 人工知能の基礎. 丸善, 1999.
- [80] 小野寛晰. 情報科学における論理. 日本評論社, 1994.
- [81] J. Z. Pan, G. Stoilos, G. B. Stamou, V. Tzouvaras, and I. Horrocks. f-SWRL: A fuzzy extension of SWRL. *J. Data Semantics*, Vol. 6, pp. 28–46, 2006.
- [82] P. F. Patel-Schneider, P. Hayes, and I. Horrocks. OWL Web Ontology Language Semantics and Abstract Syntax, W3C Recommendation, <http://www.w3.org/tr/2004/rec-owl-semantics-20040210/>.
- [83] M. R. Quillian. Semantic memory. In M. Minsky, editor, *Semantic Information Processing*. The MIT Press, 1968.
- [84] 斎藤信男, 萩野達也. セマンティック Web 入門. オーム社, 2004.
- [85] A. Schaerf. Reasoning with individuals in concept languages. *Data Knowledge Engineering*, Vol. 13, No. 2, pp. 141–176, 1994.
- [86] K. Schild. A correspondence theory for terminological logics: Preliminary report. In *Proceedings of the 12th International Joint Conference on Artificial Intelligence*, pp. 466–471. Morgan Kaufmann, 1991.
- [87] M. Schmidt-Schauss and G. Smolka. Attributive concept descriptions with complements. *Artificial Intelligence*, Vol. 48, pp. 1–26, 1991.
- [88] E. Sirin and B. Parsia. Optimizations for answering conjunctive abox queries. In *Proceedings of the 2006 International Workshop on Description Logics (DL2006)*, 2006.

- [89] E. Sirin and B. Parsia. Pellet system description. In *Proceedings of the 2006 International Workshop on Description Logics (DL2006)*, 2006.
- [90] M. K. Smith, C. Welty, and D. L. McGuinness. OWL Web Ontology Language Guide, W3C Recommendation, <http://www.w3.org/tr/2004/rec-owl-guide-20040210/>, 2004.
- [91] G. Stoilos, G. Stamou, V. Tzouvaras, J. Z. Pan, and I. Horrocks. Fuzzy OWL: Uncertainty and the semantic web. In *Proc. of the First OWL Experiences and Directions Workshop*, Vol. 188, 2005.
- [92] G. Stoilos, U. Straccia, G. B. Stamou, and J. Z. Pan. General concept inclusions in fuzzy description logics. In *17th European Conference on Artificial Intelligence (ECAI 2006)*, pp. 457–461, 2006.
- [93] U. Straccia. Reasoning within fuzzy description logics. *J. Artif. Intell. Res.*, Vol. 14, pp. 137–166, 2001.
- [94] U. Straccia. Description logics with fuzzy concrete domains. In *Proceedings of the 21st Conference on Uncertainty in Artificial Intelligence (UAI05)*, pp. 559–567. AUAI Press, 2005.
- [95] U. Straccia. A fuzzy description logic for the semantic web. In *Capturing Intelligence: Fuzzy Logic and the Semantic Web*. Elsevier, 2005.
- [96] U. Straccia. Uncertainty and description logic programs over lattices. In Elie Sanchez, editor, *Fuzzy Logic and the Semantic Web*, Capturing Intelligence, chapter 7, pp. 115–133. Elsevier, 2006.
- [97] S. Tobies. *Complexity Results and Practical Algorithms for Logics in Knowledge Representation*. PhD thesis, RWTH Aachen, Germany, 2001.
- [98] C. B. Tresp and R. Molitor. A description logic for vague knowledge. In *Proceedings of the 13th biennial European Conference on Artificial Intelligence (ECAI'98)*, pp. 361–365, Brighton, UK, 1998. J. Wiley and Sons.

- [99] D. Tsarkov and I. Horrocks. FaCT++ description logic reasoner: System description. In *Proc. of the Int. Joint Conf. on Automated Reasoning (IJCAR 2006)*, Vol. 4130 of *Lecture Notes in Artificial Intelligence*, pp. 292–297. Springer, 2006.
- [100] D. Tsarkov, I. Horrocks, and P. F. Patel-Schneider. Optimising terminological reasoning for expressive description logics. *J. of Automated Reasoning*, Vol. 39, No. 3, pp. 277–316.
- [101] K. Van Belleghem, M. Denecker, and D. De Schreye. A strong correspondence between description logics and open logic programming. In *Logic Programming, Proceedings of the Fourteenth International Conference on Logic Programming*, pp. 346–360. MIT Press, 1997.
- [102] R. van der Meyden. Logical approaches to incomplete information: A survey. In J. Chomicki and G. Saake, editors, *Logics for Databases and Information Systems*, pp. 307–336. Kluwer academic publishers, 1998.
- [103] F. Wolter and M. Zakharyaschev. Satisfiability problem in description logics with modal operators. In Anthony G. Cohn, Lenhart Schubert, and Stuart C. Shapiro, editors, *KR'98: Principles of Knowledge Representation and Reasoning*, pp. 512–523. Morgan Kaufmann, 1998.
- [104] W. Woods and J. Schmolze. The KL-ONE family. *Computers and Mathematics with Applications, Special Issue on Semantic Networks in Artificial Intelligence, Part 1*, Vol. 23, No. 2–5, pp. 133–178, 1992.
- [105] J. Yen. Generalizing term subsumption languages to fuzzy logic. In *Proc. of the 12th Int. Joint Conf. on Artificial Intelligence (IJCAI-91)*, pp. 472–477, 1991.
- [106] L. A. Zadeh. Fuzzy logic. *IEEE Computer*, Vol. 21, No. 4, pp. 83–93, 1988.